

Area	SWM ILB 156	E&S DEP 102	Proposed ILB 156
0	Exempt from Plan (IV), Volume Controls (303), and Peak Rate (304); should use E&S BMPs (363-2134-008) during ALL construction	E&S BMPs (363-2134-008) should be used	Exempt from Plan (IV), Volume Controls (303), and Peak Rate (304); should use E&S BMPs (363-2134-008) during ALL construction
5000 sf	Exempt from Plan (IV), and Peak Rate (304); Volume Controls (303) apply (see SWM BMPs(363-0300-002))		
10000 sf	Exempt from Peak Rate (304); Volume Controls (303) and Plan (IV) apply; SWM BMPs (363-0300-002) apply	E&S Plan required per 102.4 but review or approval NOT required (optional) unless a complaint filed	Exempt from Peak Rate (304) ; Volume Controls (303) and Plan (IV) apply; SWM BMPs (363-0300-002) apply; require combined E&S/SWM Plan and send to Somerset Conservation District (SCD)
20000 sf			No Exemptions ; Plan (IV), Volume Controls (303), and Peak Rate (304) all apply; SWM BMPs (363-0300-002) apply; require combined E&S/SWM Plan and send to SCD
1 Acre	No Exemptions; Plan (IV), Volume Controls (303), and Peak Rate (304) all apply; SWM BMPs (363-0300-002) apply	E&S Plan required per 102.4 and NPDES Permit required per 102.5; A GP may be used and tailored to the job; a PCSM Plan per 102.8 required; 102.8 refers to 363-0300-002 for PCSM BMPs...	There should be no separate SWM Plan. We should follow E&S, NPDES and PCSM submittals.
>>1 Acre			